

酪氨酸蛋白激酶 SgK223 抗体

产品货号： mlR19982

英文名称： PRAGMIN/Sgk223

中文名称： 酪氨酸蛋白激酶 SgK223 抗体

别 名： D8Erttd82e; DKFZp761P0423; DNA segment, Chr 8, ERATO Doi 82; EC 2.7.10.2; Homolog of rat pragma of Rnd2; LOC157285; PRAGMIN; SG223_HUMAN; Sgk223; Sugen kinase 223; Tyrosine protein kinase SgK223; Tyrosine-protein kinase SgK223.

研究领域： 细胞生物 信号转导 激酶和磷酸酶

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Dog, Pig, Cow, Rabbit, Sheep,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分 子 量： 149kDa

细胞定位： 细胞核

性 状： Lyophilized or Liquid

浓 度： 1mg/ml

免 疫 原： KLH conjugated synthetic peptide derived from human PRAGMIN/Sgk223:641-740/1406

亚 型： IgG

纯化方法： affinity purified by Protein A

储 存 液： 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件： Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed： PubMed

产品介绍： This gene encodes an enzyme that belongs to the tyrosine protein kinase family. A similar protein in rat binds to Rho family GTPase 2 (Rnd2) and regulates neurite outgrowth via activation of Ras homolog gene family, member A (RhoA). [provided by RefSeq, Mar 2014]

Similarity:

Belongs to the protein kinase superfamily. Contains 1 protein kinase domain.

SWISS:

Q86YV5

Gene ID:

157285

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic



applications.