

酪蛋白硫酸转移酶 1 抗体

产品货号: mIR6850 英文名称: TPST1 中文名称: 酪蛋白硫酸转移酶 1 抗体 别 名: Protein tyrosine sulfotransferase 1; Protein-tyrosine sulfotransferase 1; TPST-1; TPST1; TPST1_HUMAN; Tyrosylprotein sulfotransferase 1. 研究领域: 心血管 细胞生物 抗体来源: Rabbit 克隆类型: Polyclonal 交叉反应: Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Rabbit, 产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.



分	子	量	:	41kDa
细质	抱定	位	:	细胞浆 细胞膜
性		状	:	Lyophilized or Liquid
浓		度	:	1mg/ml
免	疫	原	:	KLH conjugated synthetic peptide derived from human TPST1:165-260/370
亚		型	:	IgG
纯体	化方	法	:	affinity purified by Protein A
储	存	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
at r		n te	mp	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable erature for at least one month and for greater than a year when kept at -20°C. When reconstituted .4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

产品介绍 : Catalyzes the O-sulfation of tyrosine residues within acidic motifs of polypeptides.

PubMed: PubMed



Function:
Catalyzes the O-sulfation of tyrosine residues within acidic motifs of polypeptides.
Subcellular Location:
Golgi apparatus membrane; Single-pass type II membrane protein.
Similarity:
Belongs to the protein sulfotransferase family.
belongs to the protein sunotransierase ranning.
SWISS:
060507
O60507
Gene ID:
8460
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.
产品图片



