

黑色素瘤相关抗原 12 抗体

| 产品货号 | : | mIR6818 |
|-------------|------|---|
| 英文名称 | : | MAGEA12 |
| 中文名称 | : | 黑色素瘤相关抗原 12 抗体 |
| 别 名 | : | Cancer/testis antigen 1.12; Cancer/testis antigen family 1 member 12; CT1.12; MAGAC_HUMAN |
| MAGE 12 | an | tigen; MAGE-12 antigen; MAGE12; MAGE12 antigen; MAGE12F; MAGE12F antigen; MAGEA12 |
| Melanoma | an | tigen family A 12; Melanoma associated antigen 12; Melanoma-associated antigen 12. |
| 研究领域 | : | 肿瘤 细胞生物 信号转导 细胞类型标志物 肿瘤细胞生物标志物 |
| 抗体来源 | : | Rabbit |
| 克隆类型 | : | Polyclonal |
| 交叉反应 | : | Human, |
| 产品应用 | : | ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:100-500 (石蜡切片需做抗原修复) |
| not yet tes | tec | in other applications. |
| optimal di | luti | ons/concentrations should be determined by the end user. |



产品介绍 background:

| 分 子 | 量 | : | 35kDa |
|------|------|----|---|
| 细胞兒 | 定位 | : | 细胞核 细胞浆 |
| 性 | 状 | : | Lyophilized or Liquid |
| 浓 | 度 | : | 1mg/ml |
| 免 疫 | 原 | : | KLH conjugated synthetic peptide derived from human MAGEA12:121-210/314 |
| 亚 | 型 | : | IgG |
| 纯化力 | 方法 | : | affinity purified by Protein A |
| 储 存 | 液 | : | 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. |
| | m te | mp | Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable perature for at least one month and for greater than a year when kept at -20°C. When reconstitute 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C. |
| PubM | ed : | P | ubMed |



Not known, though may play a role in tumor transformation or aspects of tumor progression. Tissue specificity: Expressed in many tumors of several types, such as melanoma, head and neck squamous cell carcinoma, lung carcinoma and breast carcinoma, but not in normal tissues except for testes.

| carcinoma and breast carcinoma, but not in normal tissues except for testes. |
|---|
| Function: |
| Not known, though may play a role in tumor transformation or aspects of tumor progression. |
| |
| Tissue Specificity: |
| Expressed in many tumors of several types, such as melanoma, head and neck squamous cell carcinoma, lung carcinoma and breast carcinoma, but not in normal tissues except for testes. |
| carcinoma and breast carcinoma, but not in normal tissues except for testes. |
| |
| Similarity: |
| Contains 1 MAGE domain. |
| |
| CAUCC. |
| SWISS: |
| P43365 |
| |
| Gene ID: |
| 4111 |
| |
| |
| Important Note: |
| This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic |
| applications. |

产品图片:



