

黑色素瘤相关抗原 E2/肝细胞癌相关蛋白 3 抗体

产品货号： mlR18627

英文名称： MAGEE2/HCA3

中文名称： 黑色素瘤相关抗原 E2/肝细胞癌相关蛋白 3 抗体

别名： HCA3; Hepatocellular carcinoma-associated protein 3; Hepatocellular carcinoma-associated protein HCA32; MAGE-E2 antigen; MAGE2_HUMAN; MAGEE2; melanoma antigen family E, 2; Melanoma-associated antigen E2; MGC138154; OTTHUMP00000023584.

研究领域： 肿瘤 细胞生物

抗体来源： Rabbit

克隆类型： Polyclonal

交叉反应： Human, Mouse, Rat, Cow,

产品应用： ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 （石蜡切片需做抗原修复）

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量： 60kDa

细胞定位： 细胞浆

性状： Lyophilized or Liquid

浓 度 : 1mg/ml

免 疫 原 : KLH conjugated synthetic peptide derived from human MAGEE2/HCA3:401-500/523

亚 型 : IgG

纯化方法 : affinity purified by Protein A

储 存 液 : 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件 : Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed : PubMed

产品介绍 : This gene encodes a member of the E subfamily of MAGE (melanoma antigen-encoding gene) gene family. The gene is intronless and the encoded protein has two of the MAGE domains which are characteristic of MAGE family proteins. [provided by RefSeq, Sep 2011]

Similarity:

Contains 2 MAGE domains.

SWISS:

Q8TD90

Gene ID:

139599

Important Note:



This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.